

Honda Motorcycle and Scooter India Pvt. Ltd.

Registered Office: Commercial Complex II, Sector - 49-50, Golf Course Extension Road, Gurugram - 122018 (Haryana)

Visit us at: www.honda2wheelersindia.com Customer Care: customercare@honda2wheelersindia.com

Dealer Stamp:



For years, Activa 125 has been loved for its performance and the technology it offers. Honda's globally acclaimed Enhanced Smart Power (eSP) technology, higher fuel efficiency, strong full metal body and 1st in segment features combined with the grand legacy of the brand Activa translate into respect for the scooter and its rider, wherever they go.

RUNS ON RESPECT



TECHNOLOGY



Experience the globally acclaimed eSP technology that reduces friction and improves combustion, delivering class leading performance & mileage.



Sensor based PGM-FI system constantly adjusts the air/fuel mixture, as per the ride mode and conditions, allowing complete combustion. This results in consistent performance, better fuel efficiency, all weather start and lesser emissions.

POWERFUL 125cc ENGINE

Delivers best-in-class power & pickup.

SILENT START WITH ACG

Activa 125 is equipped with ACG starter, which starts the engine silently by removing the gear meshing noise. It also reduces maintenance.





TECHNOLOGY







MILEAGE UP

A completely new engine powered by Honda's globally acclaimed eSP technology delivers 13%^ more mileage.

ADVANCE MILEAGE INDICATIONS

The most intelligent digital analogue meter displays advanced information like distance to empty, real time mileage and average mileage.



IDLING STOP SYSTEM

Wasteful fuel consumption is eliminated with the Idling Stop System that automatically switches the engine off at traffic lights and other brief stops.





STYLE & CONVENIENCE



Premium chrome stroke on side panel

COMMANDING TAIL LAMP

The bold, X-shaped broad design of the tail lamp commands attention and admiration equally.

LED HEADLAMP AND SIGNATURE LED POSITION LAMP

The glamorous LED headlamp with stylish LED position lamp adds to the style quotient of Activa 125.



MULTI-FUNCTION SWITCH UNIT

One compact console ensures safety of the vehicle and convenience of opening the underseat storage and the external fuel lid.



DOUBLE LID EXTERNAL FUEL FILL

Fuel filling right at your fingertips. Now get fuel filled while sitting on your scooter.



FRONT GLOVE BOX WITH LID

Spacious front glove box adds additional storage space.

RELIABILITY & COMFORT SPECIFICATIONS



Rebel Red Metallic



Pearl Night Star Black

Side stand engine cut off prohibits the engine from starting, when the side stand



Heavy Grey Metallic



Strontium Silver Metallic#

TECHNICAL SPECIFICATIONS+

DY DIMENSIONS		ENGINE	
ngth	1850 mm	Туре	Fan-cooled, 4 Stroke, SI Eng
dth	707 mm	Displacement	123.97cc
ight	1170 mm	Max Net Power	6.10 kW @ 6500 rpm
neel Base	1260 mm	Max Net Torque	10.3 N-m @ 5000 rpm
ound Clearance	162 mm	Bore	50.0 mm
at Length	712 mm	Stroke	63.1 mm
rb Weight	109 kg	Fuel System	PGM-Fi
el Tank Capacity	5.3 L	Compression Ratio	10.0±0.2
ANSMISSION		Air Filter Type	Viscous Paper Filter
ıtch Type	Automatic	Starting Method	Kick/Self
RES & BRAKES		FRAME & SUSPENSION	N
e Size (Front)	90/90-12 54J	Frame Type	Underbone
e Size (Rear)	90/100-10 53J	Front	Telescopic
e Type (Front)	Tubeless	Rear	3-Step Adjustable
e Type (Rear)	Tubeless		Spring Loaded Hydraulic
ike Type & Size (Front)	Disc-190 mm	ELECTRICALS	
ıke Type & Size (Rear)	Drum-130 mm	Battery	12V 5Ah (MF)
		Headlamp	LED

[•] The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • *Distance to empty, real time and average mileage readings may vary as per the variant and riding conditions • Activa 125 meets Bharat Stage VI norms • Product shown in the picture may vary from the actual product available in the market • Accessories shown in the picture are not part of the standard equipment • The technical specifications mentioned are for the Deluxe variant • All features and colours may not be part of all variants • **Conditions apply • "This colour is available only in the standard variant